ELSEVIER

Sedimentary Geology 113 (1997) 283–299

Sedimentary Geology

Subject Index Volumes 107–113

abrasion 107(1-2) 37-44
absolute age *see* Ar/Ar; C-14; Sr/Sr; U/Pb
absolute dating *see* absolute age
acoustic surveys *see* acoustical surveys
acoustical properties
  France, geophysical surveys 112(1-2) 1-6
acoustical surveys
  Canary Islands, ocean floors 110(3-4) 163-179
acritarch flora
  Bahamas, diagenesis 112(1-2) 33-42
  Sweden, diagenesis 112(1-2) 33-42
active margins
  Chile, sedimentary petrology 110(3-4) 257-276
active tectonics *see* neotectonics
actual age (absolute age) *see* absolute age
Africa *see also* North Africa; Southern Africa
  sedimentary petrology, Melilla 107(3-4) 147-165
  sedimentation, High Atlas 107(1-2) 21-36
aggradation
  Italy, stratigraphy 112(3-4) 219-234
  Russian Federation, Quaternary 107(3-4) 189-209
  Spain, sedimentary petrology 110(1-2) 99-122
Agnotozoic *see* Proterozoic
Agost Spain
  stratigraphy 113(1-2) 137-147
Agua Amarga Basin
  sedimentation 113(1-2) 27-53
Aiken County South Carolina
  sedimentary petrology 108(1-4) 163-180
  stratigraphy 108(1-4) 121-140; 108(1-4) 141-161
Al Hassanat Formation
  stratigraphy 113(3-4) 269-280
Alaska
  Quaternary, Valdez Alaska 111(1-4) 177-197
Alberta
  sedimentary petrology, Banff National Park 113(3-4) 195-209
Albian
  Oman 113(3-4) 269-280
algae
  nannofossils
    North Carolina 108(1-4) 91-120
    Virginia 108(1-4) 45-90
algal flora
  diatom flora
    California 110(3-4) 151-161
    Japan 107(1-2) 45-59
  nannofossils
    North Carolina 108(1-4) 91-120
    Virginia 108(1-4) 45-90
  Oman, stratigraphy 113(3-4) 269-280
  sedimentary petrology 113(3-4) 225-243
algal mats
  Germany 110(1-2) 1-6
alkali feldspar *see* K-feldspar
alkaline earth metals *see* magnesium
Allegheny Group *see* Freeport Formation
Allendale County South Carolina
  sedimentary petrology 108(1-4) 163-180
  stratigraphy 108(1-4) 121-140; 108(1-4) 141-161; 108(1-4) 181-194
alluvial fans
  India, Quaternary 107(3-4) 263-279
alluvial plains
  Japan, sediments 107(3-4) 211-229
Almeria Spain
  sedimentation 107(1-2) 61-81; 113(1-2) 27-53
Alps
  geophysical surveys
    French Alps 112(1-2) 1-6
    Vercors 112(1-2) 1-6
  sedimentary petrology
    Carnic Alps 110(3-4) 181-221
    Dolomites 110(3-4) 181-221
analogues, modern *see* modern analogs
anastomosing streams *see* braided streams
Andalusia Spain *see* Almeria Spain; Cadiz Spain; Jaen Spain
Andean Basin
  sedimentary petrology 113(1-2) 113-126
Andes *see* Bolivia
Andes Mountains *see* Andes
Anhui China
  weathering 112(3-4) 281-295
anhydrite
  New Mexico, geochemistry 110(3-4) 223-235
  Texas, geochemistry 110(3-4) 223-235
Aomori Japan
  diagenesis 107(1-2) 45-59
Apennines
  Cretaceous 113(3-4) 169-193
  heavy minerals 113(1-2) 149-159
  sedimentation 107(3-4) 231-262
  sediments 109(1-2) 135-153
Appalachian Basin
  sedimentary petrology 109(3-4) 305-319
Appalachians
  non-metal deposits 107(1-2) 121-139
  weathering, Piedmont 108(1-4) 195-206
Aptian
  France 107(1-2) 11-20
  Oman 113(3-4) 269-280
aquifers *see* confined aquifers
Aquitaine Basin
  sedimentary petrology 110(3-4) 299-307
Ar/Ar
  Morocco, sedimentary petrology 107(3-4) 147-165
Arabian Peninsula *see* Oman
Arauco Chile
  sedimentary petrology 110(3-4) 257-276
Arcadia Formation
  stratigraphy 108(1-4) 207-228
Archean
  Canada 113(1-2) 111-124
Arcos Spain
  sedimentation 112(3-4) 251-261
arcs, island *see* island arcs
Arctic Ocean
  diagenesis, Barents Sea 112(1-2) 89-103
Arctic region *see* Svalbard
arenite *see* quartz arenite
Argentina *see* Famatina System
argon-argon *see* Ar/Ar
Armstrong County Pennsylvania
  sedimentary petrology 109(3-4) 305-319
Ashgillian
  Italy 112(3-4) 263-279
Asia *see also* Arabian Peninsula; Far East; Indian Peninsula; Middle East; Russian Federation
  sedimentation
    Karakoram 109(3-4) 339-359
    Ladakh 109(3-4) 339-359
Astrakhan Russian Federation
  Quaternary 107(3-4) 189-209
Asturias Spain
  sedimentary petrology 110(1-2) 99-122
Atlantic Coastal Plain *see also* Chesapeake Bay; North Carolina
  Miocene 108(1-4) 3-18
  sedimentary petrology 108(1-4) 1-228

Southern Atlantic Coastal Plain 108(1-4) 163-180
stratigraphy, Southern Atlantic Coastal Plain 108(1-4) 121-140; 108(1-4) 141-161; 108(1-4) 181-194; 108(1-4) 207-228
Atlantic County New Jersey
Miocene 108(1-4) 3-18
Atlantic Ocean *see also* North Atlantic
diagenesis 112(1-2) 137-156
Great Bahama Bank 112(1-2) 33-42
ocean floors 110(3-4) 163-179
Quaternary 107(1-2) 1-10; 111(1-4) 57-72
sedimentary petrology 112(1-2) 43-67
Atlantic Ocean Islands *see* Canary Islands
Atlantic-type margins *see* passive margins
Atlas Mountains *see* Moroccan Atlas Mountains
attapulgite *see* palygorskite
Australasia *see* New Zealand
Australia *see also* New South Wales Australia; Victoria Australia
Quaternary 109(3-4) 233-260
sedimentation, Lachlan fold belt 109(3-4) 209-232
Bahamas
diagenesis 112(1-2) 33-42
Quaternary 107(1-2) 1-10
Balmat-Edwards mining district
Quaternary 111(1-4) 199-215
Baltic region *see also* Latvia
Quaternary 111(1-4) 119-134
Baltic Sea
geomorphology 107(1-2) 142-143
Banff National Park
sedimentary petrology 113(3-4) 195-209
Barents Sea
diagenesis 112(1-2) 89-103
barite deposits
Quebec 107(1-2) 121-139
Barnwell County South Carolina
sedimentary petrology 108(1-4) 163-180
stratigraphy 108(1-4) 121-140; 108(1-4) 141-161
Barremian
France 107(1-2) 11-20
barrier islands
Texas, geomorphology 107(1-2) 37-44
Bas-Dauphine
diagenesis 107(1-2) 11-20
basalts
China, weathering 112(3-4) 281-295
Basilicata Italy
sedimentation 107(3-4) 231-262
basin analysis
petroleum 110(1-2) 149-150
Spain
Tertiary 110(1-2) 147-148
Triassic 113(3-4) 245-267
basins *see also* fore-arc basins; foreland basins
China, Permian 112(1-2) 123-136
Italy, sedimentary petrology 110(3-4) 181-221
Spain
sedimentary petrology 110(1-2) 99-122
Tertiary 110(1-2) 147-148
basins, drainage *see* drainage basins
beach rock *see* beachrock
beaches *see also* shorelines
Italy, sedimentary petrology 110(1-2) 81-97
beachrock
Belize, Quaternary 110(3-4) 277-297
Beaufort County South Carolina
stratigraphy 108(1-4) 181-194
Beaufort Group
stratigraphy 108(1-4) 91-120
bed forms *see* bedforms
bedding plane irregularities *see also* flute casts; grooves; ripple marks; striations
Alberta 113(3-4) 195-209
Bedford Shale 110(1-2) 148-149
bedforms
Maine, Quaternary 107(1-2) 99-120
Quaternary 111(1-4) 1-327
Switzerland, Quaternary 111(1-4) 107-118
Beer Sheva Canyon
stratigraphy 112(1-2) 7-32
Belgium
sediments 109(1-2) 135-153
Belize
Quaternary 110(3-4) 277-297
Bellerophon Formation
sedimentary petrology 110(3-4) 181-221
Berea Sandstone 110(1-2) 148-149
Berkeley County South Carolina
stratigraphy 108(1-4) 181-194
Betic Cordillera
sedimentary petrology 109(1-2) 95-109
sedimentation 107(1-2) 61-81; 112(3-4) 251-261
stratigraphy 113(1-2) 137-147
Bindaree Formation
sedimentation 109(3-4) 209-232
biochemical sedimentation
California 110(3-4) 151-161
bioclastic sedimentation
109(1-2) 111-119
Japan 107(1-2) 45-59
biogenic structures *see also* algal structures; oncolites; stromatolites; thrombolites
Japan 107(1-2) 45-59
Norway 112(1-2) 89-103
biostratigraphy *see* diatom flora; dinoflagellates; foraminifers; miospores; mollusks; nannofossils; paleoecology
bitter spar *see* dolomite
bivalves *see* rudists
bloating shale *see* shale
block structures
North Carolina, stratigraphy 108(1-4) 91-120
bluffs
Ontario, Quaternary 111(1-4) 225-248
Bolivia
sedimentary petrology 113(1-2) 113-126
Bolzano Italy
sedimentary petrology 110(3-4) 181-221
book reviews
Baltic Sea, geomorphology 107(1-2) 142-143
geochronology 107(1-2) 141-142
hydrology 112(3-4) 305-307
India, stratigraphy 112(3-4) 305
North Sea, geomorphology 107(1-2) 142-143
Ohio, Devonian 110(1-2) 148-149
petroleum 107(1-2) 143-144; 110(1-2) 149-150
sedimentary petrology 107(3-4) 303-304; 112(1-2) 158-159; 112(1-2) 159-160; 113(3-4) 281-282
sedimentary rocks 107(3-4) 304-306; 109(1-2) 207-208
Spain, Tertiary 110(1-2) 147-148
stratigraphy 109(3-4) 361-362; 109(3-4) 362-364; 112(1-2) 157-158
bottom features
Canary Islands, ocean floors 110(3-4) 163-179
boulders
Finland, Quaternary 111(1-4) 135-145
Bouma sequence
Japan 112(3-4) 297-304
boundaries, stratigraphic *see* stratigraphic boundary
boundstone
Norway 112(1-2) 89-103
Bradtville Ontario
Quaternary 111(1-4) 225-248
braided streams
China, Permian 112(1-2) 123-136
breccia
Italy, stratigraphy 112(3-4) 219-234
Virginia, Eocene 108(1-4) 45-90
brines
New Mexico, geochemistry 110(3-4) 223-235
Texas, geochemistry 110(3-4) 223-235
British Columbia
Quaternary 109(3-4) 283-303

British Honduras *see* Belize
Bryn Mawr Formation
Miocene 108(1-4) 19-44
bryozoans
Spain, sedimentation 113(1-2) 27-53
building stone
Spain, geologic hazards 109(1-2) 1-11
Burtnieks drumlin field
Quaternary 111(1-4) 73-90
C *see* carbon
C-13/C-12
New Mexico, geochemistry 110(3-4) 223-235
Quebec, non-metal deposits 107(1-2) 121-139
Texas, geochemistry 110(3-4) 223-235
C-14
Belize, Quaternary 110(3-4) 277-297
Cadiz Spain
sedimentation 112(3-4) 251-261
Cainozoic *see* Cenozoic
Calabria Italy
sedimentary petrology 110(1-2) 81-97
calc-sinter *see* travertine
calcarenite
Spain 109(1-2) 95-109
calcareous nannofossils *see* nannofossils
calcareous sinter *see* travertine
calcicrete *see* calcrete
calcite
Bahamas, Quaternary 107(1-2) 1-10
Netherlands, diagenesis 109(3-4) 261-281
calcrete
France 110(3-4) 299-307
Nova Scotia 112(1-2) 43-67
Spain 110(3-4) 299-307
California
sediments, Santa Barbara Channel 110(3-4) 151-161
Cambrian *see* Vindhyan
Cameros Basin
sedimentary petrology 110(3-4) 299-307
Campanian
Netherlands 109(3-4) 261-281
Canada *see also* Eastern Canada; Western Canada
geochemistry 113(1-2) 111-124
Canadian Shield
geochemistry, Superior Province 113(1-2) 111-124
Canaries *see* Canary Islands
Canary debris flow
ocean floors 110(3-4) 163-179
Canary Islands
ocean floors 110(3-4) 163-179
Cantabrian Mountains
sedimentary petrology 110(1-2) 99-122
Cape Bojador
diagenesis 112(1-2) 137-156
Cape May County New Jersey
Miocene 108(1-4) 3-18
Caradocian
Italy 112(3-4) 263-279
Caravaca Spain
stratigraphy 113(1-2) 137-147
carbargilite *see* coal
carbon
C-13/C-12
New Mexico 110(3-4) 223-235
Quebec 107(1-2) 121-139
Texas 110(3-4) 223-235
C-14, Belize 110(3-4) 277-297
Spain, stratigraphy 113(1-2) 137-147
carbon-14 *see* C-14
carbonate platforms
Italy
Cretaceous 113(3-4) 169-193
stratigraphy 112(3-4) 219-234
Morocco, sedimentary petrology 107(3-4) 147-165
sedimentation 109(3-4) 339-359
Spain, sedimentary petrology 110(1-2) 99-122
carbonate ramps
Italy, sedimentary petrology 113(1-2) 81-110
carbonate rocks *see also* beachrock; boundstone; calcrete; chalk; dolostone; grainstone; limestone; packstone; travertine; wackestone
112(1-2) 159-160
Bolivia 113(1-2) 113-126
France, geophysical surveys 112(1-2) 1-6
Israel, stratigraphy 112(1-2) 7-32
Jordan 112(1-2) 69-88
Oman, stratigraphy 113(3-4) 269-280
South Carolina 108(1-4) 163-180
Spain 107(1-2) 61-81
carbonate sediments
109(1-2) 111-119
Bahamas, Quaternary 107(1-2) 1-10
Germany, Quaternary 109(1-2) 37-51
Netherlands, Quaternary 109(1-2) 37-51
South Carolina, stratigraphy 108(1-4) 141-161
carbonates *see also* calcite; dolomite; magnesian calcite
Morocco, diagenesis 112(1-2) 137-156
Carboniferous *see also* Pennsylvanian
Dinantian 112(1-2) 157-158
New South Wales Australia 109(3-4) 209-232
Victoria Australia 109(3-4) 209-232
Korea 109(3-4) 321-338
Nova Scotia 112(1-2) 43-67
Spain 110(1-2) 99-122
Cariatiz Spain
sedimentation 107(1-2) 61-81
Caribbean region *see* West Indies
Carnian
Morocco 107(1-2) 21-36
Carnic Alps
sedimentary petrology 110(3-4) 181-221
Caspian Sea
Quaternary 107(3-4) 189-209
Castile Formation
geochemistry 110(3-4) 223-235
Castilla la Vieja *see* Old Castile Spain
Castle Hayne Limestone 108(1-4) 91-120
casts, flute *see* flute casts
catchments *see* drainage basins
Catfish Creek Drift
Quaternary 111(1-4) 225-248
cement
Bahamas, Quaternary 107(1-2) 1-10
Germany, Quaternary 109(1-2) 37-51
Netherlands, Quaternary 109(1-2) 37-51
Norway, diagenesis 112(1-2) 89-103
Cenomanian
Russian Federation 113(1-2) 125-135
Cenozoic *see also* Quaternary; Tertiary
Atlantic Coastal Plain 108(1-4) 1-228
Georgia 108(1-4) 195-206
Matuyama Epoch, Japan 110(1-2) 7-23
Central America *see* Belize
Central Europe *see* Germany; Poland; Switzerland
chalk
Netherlands 109(3-4) 261-281
Chandler Bridge Formation
stratigraphy 108(1-4) 181-194
Changjiang River *see* Yangtze River
channels
Canary Islands, ocean floors 110(3-4) 163-179
sedimentary petrology 113(3-4) 211-223
Charleston County South Carolina
stratigraphy 108(1-4) 181-194
Chattian
South Carolina 108(1-4) 181-194
chemically precipitated rocks *see also* chert; evaporites; phosphate rocks
Spain, geologic hazards 109(1-2) 1-11
chert
Japan 107(1-2) 45-59
Chesapeake Bay
Eocene 108(1-4) 45-90
Chile
sedimentary petrology, Arauco Chile 110(3-4) 257-276
Chimney Bluffs State Park
Quaternary 111(1-4) 161-175
China *see also* Anhui China; Jiangsu China
Permian, Ordos Basin 112(1-2) 123-136

sedimentary petrology
Huang He 112(1-2) 105-122
Yangtze River 112(1-2) 105-122
clastic dikes
Ontario, Quaternary 111(1-4) 225-248
Sweden, Quaternary 111(1-4) 285-311
clastic rocks *see also* arenite; breccia; conglomerate; flysch; megabreccia; mudstone; porcellanite; red beds; sandstone; saprolite; shale; volcaniclastics
112(1-2) 158-159; 113(3-4) 281-282
Canada, geochemistry 113(1-2) 111-124
China, Permian 112(1-2) 123-136
New Zealand, Pliocene 110(3-4) 237-255
clastic sediments *see also* boulders; clay; diamicton; gravel; mud; sand; siliciclastics; silt; till; volcaniclastics
China 112(1-2) 105-122
Ireland, Quaternary 111(1-4) 57-72
Japan 107(1-2) 45-59
Minnesota, Quaternary 111(1-4) 249-261
Ontario, Quaternary 111(1-4) 225-248
South Carolina 108(1-4) 163-180
stratigraphy 108(1-4) 181-194
Sweden, Quaternary 111(1-4) 27-40
Switzerland, Quaternary 111(1-4) 107-118
Virginia, Eocene 108(1-4) 45-90
clay
Italy 113(1-2) 149-159
clay mineralogy *see also* clay minerals
South Carolina 108(1-4) 163-180
clay minerals *see also* kaolinite; montmorillonite; palygorskite; smectite; vermiculite
Finland, geochemistry 111(1-4) 313-327
climatology, paleo- *see* paleoclimatology
coal
New South Wales Australia, stratigraphy 107(3-4) 167-187
Nova Scotia 112(1-2) 43-67
coastal dunes
Baltic Sea 107(1-2) 142-143
North Sea 107(1-2) 142-143
coastal features *see* shore features
coastal plains
Florida, stratigraphy 108(1-4) 207-228
Miocene 108(1-4) 19-44
New Jersey, Miocene 108(1-4) 3-18
North Carolina, stratigraphy 108(1-4) 91-120
South Carolina
sedimentary petrology 108(1-4) 163-180
stratigraphy 108(1-4) 121-140; 108(1-4) 141-161; 108(1-4) 181-194
Virginia, Eocene 108(1-4) 45-90
Colleton County South Carolina
stratigraphy 108(1-4) 181-194
colloquia *see* symposia
Colorado Plateau
sedimentary petrology 109(1-2) 181-198
Columbia Glacier
Quaternary 111(1-4) 177-197
Commonwealth of Independent States *see* Russian Federation
concretions
113(3-4) 225-243
Russian Federation 113(1-2) 125-135
conferences *see* symposia
confined aquifers
New Jersey, Miocene 108(1-4) 3-18
Congaree Formation
stratigraphy 108(1-4) 141-161
conglomerate
Japan 109(1-2) 53-71
Korea 110(1-2) 51-79
construction materials
building stone, Spain 109(1-2) 1-11
continental dunes
Australia, Quaternary 109(3-4) 233-260
continental margin *see* passive margins
continental margin sedimentation
Canary Islands 110(3-4) 163-179
Japan Sea, Quaternary 109(1-2) 121-133
South Carolina, stratigraphy 108(1-4) 181-194
continental platform *see* continental shelf
continental rise
Canary Islands, ocean floors 110(3-4) 163-179
continental shelf *see also* continental margin sedimentation
Ireland, Quaternary 111(1-4) 57-72
continental slope
Italy, stratigraphy 112(3-4) 219-234
continental terrace *see* continental shelf
Cordillera Marianica *see* Betic Cordillera
craters
Virginia, Eocene 108(1-4) 45-90
Cretaceous
109(3-4) 339-359
Albian, Oman 113(3-4) 269-280
Aptian
France 107(1-2) 11-20
Oman 113(3-4) 269-280
Atlantic Coastal Plain 108(1-4) 1-228
Barremian, France 107(1-2) 11-20
Belgium 109(1-2) 135-153
Bolivia 113(1-2) 113-126
Campanian, Netherlands 109(3-4) 261-281
Cenomanian, Russian Federation 113(1-2) 125-135
England 109(1-2) 135-153
France 109(1-2) 135-153; 110(3-4) 299-307
India 110(1-2) 25-49
Italy 109(1-2) 135-153; 113(3-4) 169-193
Jordan 112(1-2) 69-88
K-T boundary
South Carolina 108(1-4) 121-140
Spain 113(1-2) 137-147
Korea 110(1-2) 51-79
Maestrichtian
Netherlands 109(3-4) 261-281
South Carolina 108(1-4) 121-140
Morocco 112(1-2) 137-156
Peedee Formation 108(1-4) 121-140
Senonian, Italy 113(1-2) 81-110
South Africa 107(1-2) 83-97
Spain 110(3-4) 299-307
Urgonian, France 107(1-2) 11-20
Cretaceous-Tertiary boundary *see* K-T boundary
cross-bedding
Japan 109(1-2) 53-71
cross-stratification
India, Quaternary 107(3-4) 263-279
Japan 109(1-2) 53-71
crossbedding *see* cross-bedding
crust
Spain, Tertiary 110(1-2) 147-148
cryotectonics *see* glaciotectonics
crystal chemistry
Italy, heavy minerals 113(1-2) 149-159
Morocco, diagenesis 112(1-2) 137-156
crystal structure
Germany, sedimentary petrology 107(3-4) 281-301
cube spar *see* anhydrite
currents *see* density currents; turbidity currents
cyclothems
New Zealand, Pliocene 110(3-4) 237-255
Nova Scotia 112(1-2) 43-67
Pennsylvania 109(3-4) 305-319
Damkohler number *see* Reynolds number
Danian
South Carolina 108(1-4) 121-140
Dauphine Alps *see* Vercors
De Soto County Florida
stratigraphy 108(1-4) 207-228
debris flows
Canary Islands, ocean floors 110(3-4) 163-179
Deep Sea Drilling Project *see* IPOD
deformation
Bahamas, diagenesis 112(1-2) 33-42
Sweden, diagenesis 112(1-2) 33-42
deglaciation
Finland, Quaternary 111(1-4) 135-145
Sweden, Quaternary 111(1-4) 41-56
Delaware
Miocene 108(1-4) 19-44
Delaware Basin
geochemistry 110(3-4) 223-235
deltaic sedimentation
Arctic region, Quaternary 109(1-2) 13-35
Russian Federation, Quaternary 107(3-4) 189-209

Spitsbergen, Quaternary 109(1-2) 13-35
deltas *see* Gilbert-type deltas
density currents
sedimentary petrology 112(3-4) 235-250
Des Moines Lobe
Minnesota, Quaternary 111(1-4) 249-261
detrital fan *see* alluvial fans
detrital sedimentation
Belgium 109(1-2) 135-153
England 109(1-2) 135-153
France 109(1-2) 135-153
Italy 109(1-2) 135-153
Devensian
Ireland 111(1-4) 57-72
Devonian *see also* Bedford Shale; Berea Sandstone
New South Wales Australia 109(3-4) 209-232
Victoria Australia 109(3-4) 209-232
diagenesis *see also* dolomitization
Bahamas 112(1-2) 33-42
Quaternary 107(1-2) 1-10
Belize, Quaternary 110(3-4) 277-297
Egypt, Quaternary 110(1-2) 123-145
Florida, stratigraphy 108(1-4) 207-228
Germany 107(3-4) 281-301
Quaternary 109(1-2) 37-51
India 110(1-2) 25-49
Italy, Cretaceous 113(3-4) 169-193
Japan 107(1-2) 45-59
Morocco 112(1-2) 137-156
Netherlands 109(3-4) 261-281
Quaternary 109(1-2) 37-51
Norway 112(1-2) 89-103
Quebec, non-metal deposits 107(1-2) 121-139
South Africa 107(1-2) 83-97
South Carolina 108(1-4) 163-180
stratigraphy 108(1-4) 141-161
Spain, stratigraphy 113(1-2) 137-147
Sweden 112(1-2) 33-42
diamicton
Ireland, Quaternary 111(1-4) 91-105
New York, Quaternary 111(1-4) 161-175
diatom flora
California, sediments 110(3-4) 151-161
Japan, diagenesis 107(1-2) 45-59
diatomite
Japan, diagenesis 107(1-2) 45-59
Dinantian
112(1-2) 157-158
New South Wales Australia 109(3-4) 209-232
Victoria Australia 109(3-4) 209-232
dinoflagellates
Bahamas, diagenesis 112(1-2) 33-42
Florida, stratigraphy 108(1-4) 207-228
South Carolina, stratigraphy 108(1-4) 121-140; 108(1-4) 181-194
Sweden, diagenesis 112(1-2) 33-42
disconformities *see* erosional unconformities
dolomite
sedimentary petrology 113(3-4) 161-168
Spain, geologic hazards 109(1-2) 1-11
Dolomites
sedimentary petrology 110(3-4) 181-221
dolomitite *see* dolostone
dolomitization
France, diagenesis 107(1-2) 11-20
dolostone
113(3-4) 161-168
Italy 110(3-4) 181-221
Spain, geologic hazards 109(1-2) 1-11
Donegal Bay
Quaternary 111(1-4) 57-72
Dorchester County South Carolina
stratigraphy 108(1-4) 181-194
drag coefficient
sedimentary petrology 113(3-4) 225-243
drainage basins
British Columbia, Quaternary 109(3-4) 283-303
drumlins
Alaska, Quaternary 111(1-4) 177-197
Finland, Quaternary 111(1-4) 147-159
Ireland, Quaternary 111(1-4) 57-72; 111(1-4) 91-105
Latvia, Quaternary 111(1-4) 73-90
New York, Quaternary 111(1-4) 161-175
Quaternary 111(1-4) 1-5; 111(1-4) 1-327
Wisconsin, Quaternary 111(1-4) 7-25
Dry Branch Formation
sedimentary petrology 108(1-4) 163-180
dry delta *see* alluvial fans
DSDP Site 397
diagenesis 112(1-2) 137-156
dunes *see* coastal dunes; continental dunes
Durban South Africa
diagenesis 107(1-2) 83-97
earthquakes
sedimentary petrology 113(3-4) 211-223
East European Platform *see* Russian Platform
East Frisian Islands
Quaternary 109(1-2) 37-51
sedimentary petrology 110(1-2) 1-6
Eastern Alps *see* Carnic Alps; Dolomites
Eastern Canada *see* Maritime Provinces; Ontario; Quebec
Eastern Cape South Africa
diagenesis 107(1-2) 83-97
economic geology *see* barite deposits; brines; building stone; coal; diatomite; lead-zinc deposits; peat; petroleum; shale
Eddy County New Mexico
geochemistry 110(3-4) 223-235
Eerduosi Basin *see* Ordos Basin
Egypt
Quaternary 110(1-2) 123-145
Eire *see* Ireland
El Molino Formation
sedimentary petrology 113(1-2) 113-126
electrical logging
South Carolina, sedimentary petrology 108(1-4) 163-180
electromagnetic surveys
Alberta, sedimentary petrology 113(3-4) 195-209
Eleuthera Island
Quaternary 107(1-2) 1-10
Ellenton Formation
stratigraphy 108(1-4) 121-140
engineering geology *see* earthquakes; geologic hazards; waterways
England
sediments, Hampshire Basin 109(1-2) 135-153
environmental geology *see* geologic hazards
Eocene
Castle Hayne Limestone 108(1-4) 91-120
Chile 110(3-4) 257-276
Dry Branch Formation, sedimentary petrology 108(1-4) 163-180
Italy 112(3-4) 219-234
Santee Limestone 108(1-4) 141-161
sedimentary petrology 108(1-4) 163-180
Virginia 108(1-4) 45-90
Eogene *see* Paleogene
eolian features *see* coastal dunes; continental dunes
ephemeral lakes
China, weathering 112(3-4) 281-295
Erduos Basin *see* Ordos Basin
erosion *see also* abrasion; glacial erosion; shorelines
Italy, stratigraphy 112(3-4) 219-234
erosional unconformities
Japan Sea, Quaternary 109(1-2) 121-133
estuarine sedimentation
Maine, Quaternary 107(1-2) 99-120
Europe *see also* Alps; Baltic region; Central Europe; Southern Europe; Western Europe
Quaternary
Astrakhan Russian Federation 107(3-4) 189-209
Fennoscandia 111(1-4) 263-283
Lapland 111(1-4) 135-145
Volga River 107(3-4) 189-209
sedimentary petrology 113(1-2) 125-135
eustacy
Israel, stratigraphy 112(1-2) 7-32
Mediterranean Sea, Quaternary 112(3-4) 195-217
Morocco, sedimentary petrology 107(3-4) 147-165
North Carolina, stratigraphy 108(1-4) 91-120

evaporites *see also* anhydrite
Egypt, Quaternary 110(1-2) 123-145
Italy 110(3-4) 181-221
Excrescenspollenites triporites
stratigraphy 108(1-4) 121-140
Famatina System
sedimentary petrology 109(1-2) 155-180
Far East *see* China; Japan; Korea
fault blocks *see* block structures
faults *see* grabens
faults and faulting *see* faults
Fe *see* iron
features, bottom *see* bottom features
features, fluvial *see* fluvial features
features, glacial *see* glacial features
features, shore *see* shore features
feeding ground *see* drainage basins
feldspar group *see also* alkali feldspar
Texas, geomorphology 107(1-2) 37-44
felsic composition
New South Wales Australia, sedimentation 109(3-4) 209-232
Victoria Australia, sedimentation 109(3-4) 209-232
Fennoscandia
Quaternary 111(1-4) 263-283
Finland *see also* Lapland
geochemistry 111(1-4) 313-327
Quaternary 111(1-4) 147-159
Finnmark Platform
diagenesis 112(1-2) 89-103
floodplains
hydrology 112(3-4) 305-307
Florida
stratigraphy
De Soto County Florida 108(1-4) 207-228
Hamilton County Florida 108(1-4) 207-228
Hardee County Florida 108(1-4) 207-228
Highlands County Florida 108(1-4) 207-228
Indian River County Florida 108(1-4) 207-228
Madison County Florida 108(1-4) 207-228
Sarasota County Florida 108(1-4) 207-228
Suwannee County Florida 108(1-4) 207-228
flute casts
New York, Quaternary 111(1-4) 199-215
flutes
Alaska, Quaternary 111(1-4) 177-197
Switzerland, Quaternary 111(1-4) 107-118
Wisconsin, Quaternary 111(1-4) 7-25
fluvial features *see* alluvial fans; alluvial plains; deltas; floodplains
fluvial sedimentation *see also* fluviolacustrine sedimentation; glaciofluvial sedimentation
India 107(3-4) 263-279
Maine, Quaternary 107(1-2) 99-120
petroleum 110(1-2) 149-150
stratigraphy 109(3-4) 362-364
fluviolacustrine sedimentation
Japan 107(3-4) 211-229
flysch
Italy 107(3-4) 231-262
foraminifers
Morocco, sedimentary petrology 107(3-4) 147-165
New Zealand, Pliocene 110(3-4) 237-255
North Carolina, stratigraphy 108(1-4) 91-120
Oman, stratigraphy 113(3-4) 269-280
Virginia, Eocene 108(1-4) 45-90
fore-arc basins
Japan, sedimentary petrology 112(3-4) 297-304
foreland basins
Italy, sedimentation 107(3-4) 231-262
Ohio, Devonian 110(1-2) 148-149
fossil soils *see* Paleosols
framework silicates *see* feldspar group; zeolite group
France
diagenesis
Bas-Dauphine 107(1-2) 11-20
Jura France 107(1-2) 11-20
geophysical surveys
French Alps 112(1-2) 1-6
Vercors 112(1-2) 1-6
sedimentary petrology
Aquitaine Basin 110(3-4) 299-307
Languedoc 110(3-4) 299-307
sediments, Paris Basin 109(1-2) 135-153
Freeport Formation
sedimentary petrology 109(3-4) 305-319
French Alps
geophysical surveys 112(1-2) 1-6
gamma-ray methods
South Carolina, sedimentary petrology 108(1-4) 163-180
geochemical controls
Quebec, non-metal deposits 107(1-2) 121-139
geochemical methods
Quaternary 111(1-4) 135-145
geochronology *see also* absolute age; Archean; Cambrian; Carboniferous; Cenozoic; Cretaceous; Devonian; Eocene; Holocene; Jurassic; Miocene; Neogene; Oligocene; Ordovician; Paleogene; Permian; Pleistocene; Pliocene; Proterozoic; Quaternary; Silurian; Tertiary; Triassic 107(1-2) 141-142
geologic hazards
Spain 109(1-2) 1-11
Virginia, Eocene 108(1-4) 45-90
geomorphology *see* fluvial features; glacial geology; sea-level changes; shore features; weathering
geophysical profiles *see* seismic profiles
geophysical surveys *see* acoustical surveys; electromagnetic surveys; seismic surveys
Georgia
weathering
Greene County Georgia 108(1-4) 195-206
Hancock County Georgia 108(1-4) 195-206
geotectonics *see* tectonics
Germany
Quaternary
East Frisian Islands 109(1-2) 37-51
Kiel Germany 111(1-4) 217-224
sedimentary petrology
East Frisian Islands 110(1-2) 1-6
Lower Saxony Germany 107(3-4) 281-301
Gilbert-type deltas
Alberta, sedimentary petrology 113(3-4) 195-209
glacial erosion
New York, Quaternary 111(1-4) 199-215
Sweden, Quaternary 111(1-4) 285-311
glacial features *see* drumlins; ice streams; moraines
glacial geology *see* boulders; drumlins; glaciation; glaciers; glaciotectonics; ice movement; ice sheets; ice streams; ice-marginal features; moraines; striations; till
glacial land forms *see* glacial features
glacial recession *see* deglaciation
glacial sedimentation *see also* glaciofluvial sedimentation; glaciomarine sedimentation
Alaska 111(1-4) 177-197
Finland, Quaternary 111(1-4) 135-145; 111(1-4) 147-159
Ireland, Quaternary 111(1-4) 91-105
Latvia, Quaternary 111(1-4) 73-90
New York, Quaternary 111(1-4) 161-175
Ontario, Quaternary 111(1-4) 225-248
Sweden, Quaternary 111(1-4) 27-40; 111(1-4) 41-56; 111(1-4) 285-311
glaciated terrains
British Columbia, Quaternary 109(3-4) 283-303
glaciation *see also* deglaciation; glacial features; ice movement; ice sheets
Poland 113(1-2) 55-80

glaciers *see* ice movement; moraines
glaciofluvial sedimentation
Finland, Quaternary 111(1-4) 263-283
Minnesota, Quaternary 111(1-4) 249-261
Switzerland, Quaternary 111(1-4) 107-118
glaciology *see* glacial geology
glaciomarine sedimentation
Arctic region, Quaternary 109(1-2) 13-35
Ireland, Quaternary 111(1-4) 57-72
Spitsbergen, Quaternary 109(1-2) 13-35
glaciotectonics
Ireland, Quaternary 111(1-4) 91-105
Latvia, Quaternary 111(1-4) 73-90
Ontario, Quaternary 111(1-4) 225-248
Poland, Quaternary 111(1-4) 119-134; 113(1-2) 55-80
glauconite
South Carolina, stratigraphy 108(1-4) 121-140
Gloucester County New Jersey
Miocene 108(1-4) 3-18
Gloucester County Virginia
Eocene 108(1-4) 45-90
goethite
Spain, stratigraphy 113(1-2) 137-147
Gohan South Korea
heavy minerals 109(3-4) 321-338
gold ores
Finland, Quaternary 111(1-4) 135-145
Gondwana
Italy, stratigraphy 112(3-4) 263-279
Gorgoglione Flysch
sedimentation 107(3-4) 231-262
gothite *see* goethite
Gothlandian *see* Silurian
Gotland Sweden
diagenesis 112(1-2) 33-42
Gotlandian *see* Silurian
grabens
Poland, Quaternary 113(1-2) 55-80
graded bedding
Germany 110(1-2) 1-6
grainstone
Spain 110(1-2) 99-122
Grand Atlas Mountains *see* High Atlas
granites
Georgia, weathering 108(1-4) 195-206
gravel
India, Quaternary 107(3-4) 263-279
Great Bahama Bank
diagenesis 112(1-2) 33-42
Great Britain *see* England
Great Lakes
Quaternary, Lake Erie 111(1-4) 225-248
Great Lakes region
Quaternary 111(1-4) 161-175; 111(1-4) 199-215
Great Plains
geochemistry 110(3-4) 223-235
Green Bay Lobe
Quaternary 111(1-4) 7-25
Greene County Georgia
weathering 108(1-4) 195-206
grooves
Alaska, Quaternary 111(1-4) 177-197
Switzerland, Quaternary 111(1-4) 107-118
Wisconsin, Quaternary 111(1-4) 7-25
ground probing radar *see* ground-penetrating radar
ground water *see also* confined aquifers
Atlantic Coastal Plain, sedimentary petrology 108(1-4) 1-228
sedimentary petrology 112(1-2) 158-159
ground-penetrating radar
Alberta, sedimentary petrology 113(3-4) 195-209
Finland, Quaternary 111(1-4) 147-159
groundwater *see* ground water
Guadalquivir Basin
sedimentation 112(3-4) 251-261
Gujarat India
Quaternary 107(3-4) 263-279
Gulf Coastal Plain
geomorphology 107(1-2) 37-44
stratigraphy 108(1-4) 207-228
Gulf of Suez
Quaternary 110(1-2) 123-145
Gyeongsang Basin *see* Kyongsang Basin
Hamilton County Florida
stratigraphy 108(1-4) 207-228
Hampshire Basin
sediments 109(1-2) 135-153
Hampton County South Carolina
stratigraphy 108(1-4) 181-194
Hancock County Georgia
weathering 108(1-4) 195-206
hard-ground *see* hardground
Hardee County Florida
stratigraphy 108(1-4) 207-228
hardground
Netherlands, diagenesis 109(3-4) 261-281
Hawthorn Formation 108(1-4) 207-228
hazards, geologic *see* geologic hazards
heavy minerals
Italy 113(1-2) 149-159
Korea 109(3-4) 321-338
High Atlas
sedimentation 107(1-2) 21-36
High Plains *see* Great Plains
Highlands County Florida
stratigraphy 108(1-4) 207-228
highstands
Italy, stratigraphy 112(3-4) 219-234
Holkopollenites microreticulatus
stratigraphy 108(1-4) 121-140
Holocene
113(3-4) 211-223
Bahamas 107(1-2) 1-10
Belize 110(3-4) 277-297
Egypt 110(1-2) 123-145
Germany 109(1-2) 37-51; 110(1-2) 1-6
Maine 107(1-2) 99-120
Netherlands 109(1-2) 37-51
Russian Federation 107(3-4) 189-209
Wisconsin 111(1-4) 7-25
Honshu *see* Aomori Japan; Ise Bay; Iwate Japan; Toyama Japan
hornstone *see* chert
Howitt Spur Formation
sedimentation 109(3-4) 209-232
Huang He
sedimentary petrology 112(1-2) 105-122
hummocky cross-stratification
Spain 109(1-2) 95-109
Hwang Ho *see* Huang He
hydrogeology *see* ground water
hydrology *see also* bedforms; waterways 112(3-4) 305-307
hydrothermal alteration
Quebec, non-metal deposits 107(1-2) 121-139
Iberian Peninsula *see* Spain
ice mantle *see* ice sheets
ice movement *see also* ice streams
Alaska, Quaternary 111(1-4) 177-197
Finland, Quaternary 111(1-4) 135-145; 111(1-4) 147-159
Ireland, Quaternary 111(1-4) 57-72
Latvia, Quaternary 111(1-4) 73-90
Poland, Quaternary 111(1-4) 119-134
Sweden, Quaternary 111(1-4) 27-40; 111(1-4) 285-311
Switzerland, Quaternary 111(1-4) 107-118
Wisconsin, Quaternary 111(1-4) 7-25
ice sheets
Finland, Quaternary 111(1-4) 147-159; 111(1-4) 263-283
Germany, Quaternary 111(1-4) 217-224
Ireland, Quaternary 111(1-4) 57-72
Minnesota, Quaternary 111(1-4) 249-261
New York, Quaternary 111(1-4) 199-215
Sweden, Quaternary 111(1-4) 41-56
ice streams
Finland, Quaternary 111(1-4) 263-283
Minnesota, Quaternary 111(1-4) 249-261
ice-marginal features
Wisconsin, Quaternary 111(1-4) 7-25
Iglesiente
stratigraphy 112(3-4) 263-279
igneous rocks
basalts, China 112(3-4) 281-295
Canada, geochemistry 113(1-2) 111-124
granites, Georgia 108(1-4) 195-206

Ijsfjorden
Quaternary 109(1-2) 13-35
India *see also* Vindhyan
diagenesis, Jabalpur India 110(1-2) 25-49
Quaternary
Gujarat India 107(3-4) 263-279
Narmada River 107(3-4) 263-279
Indian Ocean *see* Red Sea
Indian Peninsula *see* Jammu and Kashmir
Indian River County Florida
stratigraphy 108(1-4) 207-228
Indiana County Pennsylvania
sedimentary petrology 109(3-4) 305-319
intertidal sedimentation
113(3-4) 211-223
Germany 110(1-2) 1-6
invertebrates *see* bryozoans; foraminifers; mollusks
IPOD *see* Leg 47
Ireland
Quaternary 111(1-4) 57-72; 111(1-4) 91-105
iron
Germany, sedimentary petrology 107(3-4) 281-301
iron sulfides
Germany, sedimentary petrology 107(3-4) 281-301
Ise Bay
sediments 107(3-4) 211-229
island arcs
Argentina, sedimentary petrology 109(1-2) 155-180
isothermal remanent magnetization
Japan, sediments 110(1-2) 7-23
isotopes
C-13/C-12
New Mexico 110(3-4) 223-235
Quebec 107(1-2) 121-139
Texas 110(3-4) 223-235
C-14, Belize 110(3-4) 277-297
O-18/O-16
Bolivia 113(1-2) 113-126
New Mexico 110(3-4) 223-235
Quebec 107(1-2) 121-139
Texas 110(3-4) 223-235
S-34/S-32
New Mexico 110(3-4) 223-235
Texas 110(3-4) 223-235
Sr-87/Sr-86, New Jersey 108(1-4) 3-18
Israel
stratigraphy 112(1-2) 7-32
Italy *see also* Apennines
sedimentary petrology 113(1-2) 81-110
Bolzano Italy 110(3-4) 181-221
Calabria Italy 110(1-2) 81-97
Valsugana 110(3-4) 181-221
sedimentation
Basilicata Italy 107(3-4) 231-262
Lucania 107(3-4) 231-262
sediments, Umbria Italy 109(1-2) 73-94
stratigraphy 112(3-4) 219-234
Iglesiente 112(3-4) 263-279
Sarrabus 112(3-4) 263-279
Sulcis 112(3-4) 263-279
Iwate Japan
sedimentary petrology 109(1-2) 53-71
Jabalpur India
diagenesis 110(1-2) 25-49
Jaen City Spain
geologic hazards 109(1-2) 1-11
Jammu and Kashmir *see* Ladakh
Japan
diagenesis, Aomori Japan 107(1-2) 45-59
sedimentary petrology 112(3-4) 297-304
Iwate Japan 109(1-2) 53-71
sediments
Ise Bay 107(3-4) 211-229
Toyama Japan 110(1-2) 7-23
Japan Sea
Quaternary 109(1-2) 121-133
Jasper County South Carolina
stratigraphy 108(1-4) 181-194
Jefferson County New York
Quaternary 111(1-4) 199-215
Jiangsu China
sedimentary petrology 112(1-2) 105-122
weathering 112(3-4) 281-295
Jordan
sedimentary petrology 112(1-2) 69-88
Jubbulpore India *see* Jabalpur India
Junicho Formation
sediments 110(1-2) 7-23
Jura France
diagenesis 107(1-2) 11-20
Jurassic
France 110(3-4) 299-307
Page Sandstone, sedimentary petrology 109(1-2) 181-198
Spain 109(1-2) 95-109; 110(3-4) 299-307
K-feldspar
Spain, stratigraphy 113(1-2) 137-147
K-T boundary
South Carolina 108(1-4) 121-140
Spain 113(1-2) 137-147
Kakegawa Group
sedimentary petrology 112(3-4) 297-304
Kane County Utah
sedimentary petrology 109(1-2) 181-198
kaolinite
Georgia, weathering 108(1-4) 195-206
Karakoram
sedimentation 109(3-4) 339-359
Kenedy County Texas
geomorphology 107(1-2) 37-44
Kiel Germany
Quaternary 111(1-4) 217-224
Kleszczow Graben
Quaternary 113(1-2) 55-80
Korea
heavy minerals, South Korea 109(3-4) 321-338
sedimentary petrology, Kyongsang Basin 110(1-2) 51-79
Kuki Formation
sedimentary petrology 109(1-2) 53-71
Kurnub Group
sedimentary petrology 112(1-2) 69-88
Kyongsang Basin
sedimentary petrology 110(1-2) 51-79
Lachlan fold belt
sedimentation 109(3-4) 209-232
lacustrine sedimentation *see also* fluviolacustrine sedimentation
Bolivia 113(1-2) 113-126
Poland, Quaternary 113(1-2) 55-80
Ladakh
sedimentation 109(3-4) 339-359
Laguna Madre
geomorphology 107(1-2) 37-44
Lake Erie
Quaternary 111(1-4) 225-248
Lameta Formation
diagenesis 110(1-2) 25-49
laminations
California, sediments 110(3-4) 151-161
Italy 109(1-2) 73-94
New Mexico, geochemistry 110(3-4) 223-235
Texas, geochemistry 110(3-4) 223-235
Languedoc
sedimentary petrology 110(3-4) 299-307
Lapland
Quaternary 111(1-4) 135-145
Latvia
Quaternary 111(1-4) 73-90
Laurentide ice sheet *see also* Des Moines Lobe
New York, Quaternary 111(1-4) 199-215
lead-zinc deposits
Quebec 107(1-2) 121-139
Leg 47 *see* DSDP Site 397
Leg 146 *see* ODP Site 893
Limburg Netherlands *see* Maastricht Netherlands
limestone *see also* calcarenite
109(3-4) 339-359; 112(3-4) 163-193; 113(3-4) 161-168
Bahamas 112(1-2) 33-42
Florida, stratigraphy 108(1-4) 207-228
Italy 113(1-2) 81-110
Morocco 107(3-4) 147-165
Nova Scotia 112(1-2) 43-67
Pennsylvania 109(3-4) 305-319
Quebec, non-metal deposits 107(1-2) 121-139

South Carolina, stratigraphy 108(1-4) 141-161
Spain 110(1-2) 99-122; 113(1-2) 27-53
geologic hazards 109(1-2) 1-11
Sweden 112(1-2) 33-42
Linnedalen
Quaternary 109(1-2) 13-35
lithostratigraphy
Atlantic Coastal Plain, sedimentary petrology 108(1-4) 1-228
Bahamas, Quaternary 107(1-2) 1-10
Chile, sedimentary petrology 110(3-4) 257-276
Finland, Quaternary 111(1-4) 263-283
Florida 108(1-4) 207-228
Italy
sedimentary petrology 110(3-4) 181-221
sedimentation 107(3-4) 231-262
Japan, sediments 107(3-4) 211-229
Japan Sea, Quaternary 109(1-2) 121-133
Jordan, sedimentary petrology 112(1-2) 69-88
Korea, heavy minerals 109(3-4) 321-338
Morocco, sedimentary petrology 107(3-4) 147-165
New Jersey 108(1-4) 3-18
New South Wales Australia 107(3-4) 167-187
New Zealand 110(3-4) 237-255
North Carolina 108(1-4) 91-120
Ohio 110(1-2) 148-149
Oman 113(3-4) 269-280
Russian Federation, Quaternary 107(3-4) 189-209
sedimentation 109(3-4) 339-359
South Carolina 108(1-4) 141-161; 108(1-4) 181-194
Virginia 108(1-4) 45-90
logging, electrical *see* electrical logging
Loving County Texas
geochemistry 110(3-4) 223-235
Lower Carboniferous *see* Dinantian
Lower Cretaceous *see* Albian; Aptian; Barremian; Urgonian
lower Neogene *see* Miocene
lower Paleocene *see* Danian; K-T boundary
lower Pleistocene *see* Olduvai Event
lower Precambrian *see* Archean
Lower Saxony Germany *see also* East Frisian Islands
sedimentary petrology 107(3-4) 281-301
lowstands
Italy, stratigraphy 112(3-4) 219-234
Mediterranean Sea, Quaternary 112(3-4) 195-217
Lucania
sedimentation 107(3-4) 231-262
Maastricht Netherlands
diagenesis 109(3-4) 261-281
Maastrichtian *see* Maestrichtian
Macalister Synclinorium
sedimentation 109(3-4) 209-232
Madhya Pradesh India *see* Jabalpur India
Madison County Florida
stratigraphy 108(1-4) 207-228
Maestricht Netherlands *see* Maastricht Netherlands
Maestrichtian
Netherlands 109(3-4) 261-281
South Carolina 108(1-4) 121-140
magnesian calcite
Germany, Quaternary 109(1-2) 37-51
Netherlands, Quaternary 109(1-2) 37-51
magnesian spar *see* dolomite
magnesium
Netherlands, diagenesis 109(3-4) 261-281
magnesium calcite *see* magnesian calcite
magnetic intensity
Japan, sediments 110(1-2) 7-23
magnetic susceptibility
Japan, sediments 110(1-2) 7-23
magnetism, paleo- *see* paleomagnetism
magnetization *see* remanent magnetization
Maiella Platform
stratigraphy 112(3-4) 219-234
Maine
Quaternary, Sagadahoc County Maine 107(1-2) 99-120
margin, continental *see* continental margin
marine sedimentation *see* glaciomarine sedimentation
marine sediments
Canary Islands 110(3-4) 163-179
marine transport
Texas, geomorphology 107(1-2) 37-44
Maritime Provinces *see* Nova Scotia
Marrakesh Morocco
sedimentation 107(1-2) 21-36
Mars
Baltic Sea, geomorphology 107(1-2) 142-143
North Sea, geomorphology 107(1-2) 142-143
marshes *see* salt marshes
Maryland *see* Salisbury Embayment
mass movements *see* debris flows
Matese Mountains
sedimentary petrology 113(1-2) 81-110
Mathews County Virginia
Eocene 108(1-4) 45-90
Matuyama Epoch
Japan 110(1-2) 7-23
mechanical erosion *see* abrasion
Mediterranean Sea
Quaternary 112(3-4) 195-217
meetings *see* symposia
megabreccia 112(3-4) 163-193
Melilla
sedimentary petrology 107(3-4) 147-165
Mellum Island
Quaternary 109(1-2) 37-51
sedimentary petrology 110(1-2) 1-6
Mesozoic *see* Cretaceous; Jurassic; Triassic
Messinian
Morocco 107(3-4) 147-165
Spain 107(1-2) 61-81
metal ores *see* gold ores; lead-zinc deposits
metals *see* alkaline earth metals; iron
metasomatism
hydrothermal alteration, Quebec 107(1-2) 121-139
Mg *see* magnesium
mica group *see* glauconite
microfossils *see* algal flora; foraminifers; palynomorphs
Middle East *see* Israel; Jordan
middle Eocene *see* Santee Limestone
Middle Jurassic *see* Page Sandstone
Middle Pennsylvanian *see* Allegheny Group
Minato Formation
sedimentary petrology 109(1-2) 53-71
mineral chemistry *see* crystal chemistry
mineral deposits, genesis *see* geochemical controls; hydrothermal processes
mineral exploration *see* geochemical methods; stream sediments
mineral sequence *see* paragenesis
mineralogy *see* carbonates
Minnesota *see* Des Moines Lobe
Miocene
108(1-4) 19-44
China 112(3-4) 281-295
Hawthorn Formation 108(1-4) 207-228
Israel 112(1-2) 7-32
Italy 107(3-4) 231-262
Messinian
Morocco 107(3-4) 147-165
Spain 107(1-2) 61-81
Morocco 112(1-2) 137-156
New Jersey 108(1-4) 3-18
Tortonian, Spain 113(1-2) 27-53
miospores
Miocene 108(1-4) 19-44
South Carolina, stratigraphy 108(1-4) 121-140
modern analogs
Spain, geologic hazards 109(1-2) 1-11
mollusks
Florida, stratigraphy 108(1-4) 207-228
Japan, sediments 110(1-2) 7-23
rudists
Italy 113(1-2) 81-110
Oman 113(3-4) 269-280

monsoons
India, diagenesis 110(1-2) 25-49
montmorillonite
China, weathering 112(3-4) 281-295
moraines
Alaska, Quaternary 111(1-4) 177-197
Finland
geochemistry 111(1-4) 313-327
Quaternary 111(1-4) 135-145; 111(1-4) 147-159
Sweden, Quaternary 111(1-4) 27-40; 111(1-4) 41-56
Wisconsin, Quaternary 111(1-4) 7-25
Moroccan Atlas Mountains *see* High Atlas
Morocco *see also* Melilla
diagenesis, Cape Bojador 112(1-2) 137-156
sedimentation, High Atlas 107(1-2) 21-36
Mount Howitt Province
sedimentation 109(3-4) 209-232
mud
South Carolina, stratigraphy 108(1-4) 141-161
mudstone
China 112(3-4) 281-295
Spain 110(1-2) 99-122
Murcia Spain *see* Caravaca Spain
Mzamba Formation
diagenesis 107(1-2) 83-97
Na-montmorillonite *see* montmorillonite
nannofossils
North Carolina, stratigraphy 108(1-4) 91-120
Virginia, Eocene 108(1-4) 45-90
Narmada River
Quaternary 107(3-4) 263-279
Natal South Africa *see* Durban South Africa
natural remanent magnetization
Japan, sediments 110(1-2) 7-23
Neogene *see also* Miocene; Pliocene
Japan 107(1-2) 45-59
neomorphism
sedimentary petrology 113(3-4) 161-168
neotectonics *see* faults
Nerbudda River *see* Narmada River
nesosilicates *see* zircon
Netherlands
diagenesis, Maastricht Netherlands 109(3-4) 261-281
Quaternary, Wadden Zee 109(1-2) 37-51
New Jersey
Miocene
Atlantic County New Jersey 108(1-4) 3-18
Cape May County New Jersey 108(1-4) 3-18
Gloucester County New Jersey 108(1-4) 3-18
Ocean County New Jersey 108(1-4) 3-18
New Mexico
geochemistry, Eddy County New Mexico 110(3-4) 223-235
New South Wales Australia *see* Lachlan fold belt; Newcastle Coal Measures; Sydney Basin
New York
Quaternary
Balmat-Edwards mining district 111(1-4) 199-215
Jefferson County New York 111(1-4) 199-215
Wayne County New York 111(1-4) 161-175
New Zealand
Pliocene, Wanganui Valley 110(3-4) 237-255
Newcastle Coal Measures 107(3-4) 167-187
Noda Group
sedimentary petrology 109(1-2) 53-71
North Africa *see* Atlas Mountains; Egypt; Melilla; Morocco
North America *see also* Appalachians; Canadian Shield; Great Lakes; Great Lakes region; Great Plains
sedimentary petrology, Appalachian Basin 109(3-4) 305-319
North Atlantic *see* Baltic Sea; Great Bahama Bank; North Sea
North Carolina *see* Castle Hayne Limestone; Salisbury Embayment
North Island
Pliocene 110(3-4) 237-255
North Pacific *see* Northwest Pacific
North Sea
geomorphology 107(1-2) 142-143
Quaternary 109(1-2) 37-51
sedimentary petrology 110(1-2) 1-6
Northampton County Virginia
Eocene 108(1-4) 45-90
Northwest Pacific *see* Japan Sea
Norway
diagenesis 112(1-2) 89-103
Nova Scotia
sedimentary petrology 112(1-2) 43-67
NRM *see* natural remanent magnetization
O-18/O-16
Bolivia, sedimentary petrology 113(1-2) 113-126
New Mexico, geochemistry 110(3-4) 223-235
Quebec, non-metal deposits 107(1-2) 121-139
Texas, geochemistry 110(3-4) 223-235
Ocean County New Jersey
Miocene 108(1-4) 3-18
Ocean Drilling Program *see* Leg 146
ocean floors *see* bottom features; continental rise
oceanography *see* continental margin; continental shelf; continental slope; ocean floors; sedimentation; sediments
ODP Site 893
sediments 110(3-4) 151-161
Ohio *see* Bedford Shale; Berea Sandstone
Ohta Formation
sediments 107(3-4) 211-229
oil and gas *see* petroleum
Old Castile Spain
sedimentary petrology 110(3-4) 299-307
Olduvai Event
Japan 110(1-2) 7-23
Oligocene
Chattian, South Carolina 108(1-4) 181-194
Italy 112(3-4) 219-234
Suwannee Limestone 108(1-4) 207-228
Oman
stratigraphy 113(3-4) 269-280
oncolites 113(3-4) 225-243
Ontario *see* Lake Erie
Ordos Basin
Permian 112(1-2) 123-136
Ordovician
109(3-4) 339-359
Argentina 109(1-2) 155-180
Ashgillian, Italy 112(3-4) 263-279
Caradocian, Italy 112(3-4) 263-279
Quebec 107(1-2) 121-139
ore exploration *see* mineral exploration
organic materials
Bahamas, diagenesis 112(1-2) 33-42
Sweden, diagenesis 112(1-2) 33-42
organic residues *see* coal; peat
orthosilicates *see* nesosilicates
Oukaimeden Sandstone
sedimentation 107(1-2) 21-36
Oviedo Spain *see* Asturias Spain
oxides *see* goethite
oxygen
O-18/O-16
Bolivia 113(1-2) 113-126
New Mexico 110(3-4) 223-235
Quebec 107(1-2) 121-139
Texas 110(3-4) 223-235
Pacific Ocean *see also* North Pacific; West Pacific
sediments 110(3-4) 151-161
packstone
South Africa 107(1-2) 83-97
South Carolina, stratigraphy 108(1-4) 141-161
Padre Island
geomorphology 107(1-2) 37-44
Page Sandstone
sedimentary petrology 109(1-2) 181-198

paleo-oceanography
New Zealand 110(3-4) 237-255
Nova Scotia, sedimentary petrology 112(1-2) 43-67
Paleocene
Danian, South Carolina 108(1-4) 121-140
K-T boundary
South Carolina 108(1-4) 121-140
Spain 113(1-2) 137-147
paleoclimatology *see also* O-18/O-16
108(1-4) 19-44
Georgia, weathering 108(1-4) 195-206
India, diagenesis 110(1-2) 25-49
Japan, sediments 110(1-2) 7-23
Nova Scotia, sedimentary petrology 112(1-2) 43-67
Pennsylvania, sedimentary petrology 109(3-4) 305-319
paleoecology
California, sediments 110(3-4) 151-161
New Zealand 110(3-4) 237-255
South Carolina 108(1-4) 181-194
Paleogene *see also* Eocene; Oligocene; Paleocene
Japan 109(1-2) 53-71
paleogeography *see also* basins; sea-level changes; transgression
India, diagenesis 110(1-2) 25-49
Italy 112(3-4) 263-279
Korea, sedimentary petrology 110(1-2) 51-79
New South Wales Australia, sedimentation 109(3-4) 209-232
Oman 113(3-4) 269-280
South Carolina 108(1-4) 181-194
Spain, sedimentary petrology 109(1-2) 95-109
Utah, sedimentary petrology 109(1-2) 181-198
Victoria Australia, sedimentation 109(3-4) 209-232
paleokarst
France, diagenesis 107(1-2) 11-20
paleolimnology
Italy, sediments 109(1-2) 73-94
paleomagnetism *see* magnetic intensity; magnetic susceptibility; Matuyama Epoch; natural remanent magnetization; Olduvai Event
paleosalinity
New Mexico, geochemistry 110(3-4) 223-235
Texas, geochemistry 110(3-4) 223-235
Paleosols
China, weathering 112(3-4) 281-295
Georgia, weathering 108(1-4) 195-206
India, diagenesis 110(1-2) 25-49
Italy, sedimentary petrology 110(3-4) 181-221
Nova Scotia, sedimentary petrology 112(1-2) 43-67
Paleozoic *see also* Cambrian; Carboniferous; Devonian; Ordovician; Permian; Silurian
Bedford Shale 110(1-2) 148-149
Berea Sandstone 110(1-2) 148-149
palygorskite
China, weathering 112(3-4) 281-295
palynomorphs
acritarch flora
Bahamas 112(1-2) 33-42
Sweden 112(1-2) 33-42
dinoflagellates
Bahamas 112(1-2) 33-42
Florida 108(1-4) 207-228
South Carolina 108(1-4) 121-140; 108(1-4) 181-194
Sweden 112(1-2) 33-42
miospores
Miocene 108(1-4) 19-44
South Carolina 108(1-4) 121-140
paragenesis
China, weathering 112(3-4) 281-295
Paris Basin
sediments 109(1-2) 135-153
passive margins
Mediterranean Sea, Quaternary 112(3-4) 195-217
Morocco, diagenesis 112(1-2) 137-156
North Carolina, stratigraphy 108(1-4) 91-120
peat 113(3-4) 211-223
Peedee Formation 108(1-4) 121-140
pelite *see* shale
Pennsylvania
sedimentary petrology
Armstrong County Pennsylvania 109(3-4) 305-319
Indiana County Pennsylvania 109(3-4) 305-319
Pennsylvanian
Freeport Formation, sedimentary petrology 109(3-4) 305-319
Permian
Castile Formation, geochemistry 110(3-4) 223-235
China 112(1-2) 123-136
Korea 109(3-4) 321-338
Newcastle Coal Measures 107(3-4) 167-187
Norway 112(1-2) 89-103
Texas 107(1-2) 37-44
Val Gardena Sandstone, sedimentary petrology 110(3-4) 181-221
petroleum
107(1-2) 143-144; 110(1-2) 149-150
sedimentary petrology 112(1-2) 158-159
petrology *see* igneous rocks; volcanism
petrostratigraphy *see* lithostratigraphy
phosphate rocks
Russian Federation 113(1-2) 125-135
Picos de Europa Formation
sedimentary petrology 110(1-2) 99-122
Piedmont
weathering 108(1-4) 195-206
planar bedding structures *see* cross-bedding; cross-stratification; cyclothems; hummocky cross-stratification; laminations; rhythmic bedding
plants *see also* algal flora
Miocene 108(1-4) 19-44
plate tectonics *see* continental margin; passive margins
Pleistocene
Devensian, Ireland 111(1-4) 57-72
Ireland 111(1-4) 91-105
Italy 113(1-2) 149-159
Japan 112(3-4) 297-304
Latvia 111(1-4) 73-90
Maine 107(1-2) 99-120
Mediterranean Sea 112(3-4) 195-217
Olduvai Event, Japan 110(1-2) 7-23
Saalian, Poland 113(1-2) 55-80
Tyrrhenian, Italy 110(1-2) 81-97
Vistulian, Poland 111(1-4) 119-134
Weichselian
Arctic region 109(1-2) 13-35
Finland 111(1-4) 147-159; 111(1-4) 263-283
Germany 111(1-4) 217-224
Russian Federation 107(3-4) 189-209
Spitsbergen 109(1-2) 13-35
Sweden 111(1-4) 41-56; 111(1-4) 285-311
Wisconsinan
British Columbia 109(3-4) 283-303
Minnesota 111(1-4) 249-261
Ontario 111(1-4) 225-248
Pliocene
Bahamas 112(1-2) 33-42
Israel 112(1-2) 7-32
Italy 109(1-2) 73-94; 113(1-2) 149-159
Japan 107(3-4) 211-229; 110(1-2) 7-23; 112(3-4) 297-304
New Zealand 110(3-4) 237-255
Spain 112(3-4) 251-261
Sweden 112(1-2) 33-42
plutonic rocks *see* granites
Poland
Quaternary 111(1-4) 119-134; 113(1-2) 55-80
polders
sedimentary petrology 113(3-4) 211-223
pollen
Miocene 108(1-4) 19-44

South Carolina, stratigraphy 108(1-4) 121-140
polyhedra
Germany, sedimentary petrology 107(3-4) 281-301
porcellanite
Japan 107(1-2) 45-59
Port Valdez Alaska *see* Valdez Alaska
Postglacial *see* Holocene
potassium feldspar *see* K-feldspar
Precambrian *see* Archean; upper Precambrian
precession 113(3-4) 169-193
progradation
Japan Sea, Quaternary 109(1-2) 121-133
Spain, sedimentary petrology 110(1-2) 99-122
Proterozoic
India 112(3-4) 305
psammite *see* sandstone
Pyeongan Group
heavy minerals 109(3-4) 321-338
pyrite
Germany, sedimentary petrology 107(3-4) 281-301
pyroclastic flows
Japan, sediments 107(3-4) 211-229
quartz arenite
Spain 112(3-4) 251-261
Quaternary *see also* Holocene; Pleistocene
111(1-4) 1-5; 111(1-4) 1-327
Alaska 111(1-4) 177-197
Australia 109(3-4) 233-260
Finland 111(1-4) 135-145; 111(1-4) 313-327
India 107(3-4) 263-279
Japan Sea 109(1-2) 121-133
New York 111(1-4) 161-175
Sweden 111(1-4) 27-40
Switzerland 111(1-4) 107-118
Quebec
non-metal deposits 107(1-2) 121-139
radar methods *see* ground-penetrating radar
radioactivity *see* gamma-ray methods
radiocarbon dating *see* C-14
Rangitikei Group
Pliocene 110(3-4) 237-255
rate of sedimentation *see* sedimentation rates
Recent *see* Holocene
red beds
Italy 110(3-4) 181-221
Utah 109(1-2) 181-198
Red Sea
Quaternary, Gulf of Suez 110(1-2) 123-145
redbeds *see* red beds
Reeves County Texas
geochemistry 110(3-4) 223-235
remanent magnetization *see* isothermal remanent magnetization; natural remanent magnetization
remote sensing
Ireland, Quaternary 111(1-4) 57-72
Reynolds number
sedimentary petrology 112(3-4) 235-250; 113(3-4) 225-243
rhythmic bedding
Netherlands 109(3-4) 261-281
ripple marks 112(3-4) 235-250
rise, continental *see* continental rise
river plain *see* alluvial plains
rock-stratigraphy *see* lithostratigraphy
rock-water interface *see* water-rock interaction
Rogen moraines
Quaternary 111(1-4) 27-40; 111(1-4) 41-56
Rose River Volcanics
sedimentation 109(3-4) 209-232
rubblerock *see* breccia
rudists
Italy, sedimentary petrology 113(1-2) 81-110
Oman, stratigraphy 113(3-4) 269-280
Russian Federation *see also* Russian Platform
Quaternary
Astrakhan Russian Federation 107(3-4) 189-209
Volga region 107(3-4) 189-209
Volga River 107(3-4) 189-209
Russian Platform
sedimentary petrology 113(1-2) 125-135
Russian Republic *see* Russian Federation
S-34/S-32
New Mexico, geochemistry 110(3-4) 223-235
Texas, geochemistry 110(3-4) 223-235
Saalian
Poland 113(1-2) 55-80
Sagadahoc County Maine
Quaternary 107(1-2) 99-120
Saint Lawrence County New York *see* Balmat-Edwards mining district
Salisbury Embayment
Miocene 108(1-4) 19-44
salt marshes
sedimentary petrology 113(3-4) 211-223
sand
Arctic region, Quaternary 109(1-2) 13-35
Australia, Quaternary 109(3-4) 233-260
British Columbia, Quaternary 109(3-4) 283-303
Germany 110(1-2) 1-6
India, Quaternary 107(3-4) 263-279
Italy 110(1-2) 81-97; 113(1-2) 149-159
Maine, Quaternary 107(1-2) 99-120
Spitsbergen, Quaternary 109(1-2) 13-35
Texas, geomorphology 107(1-2) 37-44
sandstone
India 110(1-2) 25-49
Jordan 112(1-2) 69-88
Korea 109(3-4) 321-338
Morocco 107(1-2) 21-36; 112(1-2) 137-156
South Africa 107(1-2) 83-97
Utah 109(1-2) 181-198
Santa Barbara Channel
sediments 110(3-4) 151-161
Santee Limestone
108(1-4) 141-161
sedimentary petrology 108(1-4) 163-180
saprolite
Georgia 108(1-4) 195-206
Sarasota County Florida
stratigraphy 108(1-4) 207-228
Sardinia Italy *see* Iglesiente; Sulcis
Sarrabus
stratigraphy 112(3-4) 263-279
Savannah River Plant
sedimentary petrology 108(1-4) 163-180
stratigraphy 108(1-4) 121-140; 108(1-4) 141-161
Scandinavia *see* Finland; Norway; Sweden
Scandinavian ice sheet
Quaternary 111(1-4) 263-283
Scania *see* Skane
Schleswig-Holstein Germany *see* Kiel Germany
sea floors *see* ocean floors
Sea of Japan *see* Japan Sea
sea-level changes *see also* eustacy
Bahamas, Quaternary 107(1-2) 1-10
Egypt, Quaternary 110(1-2) 123-145
Japan
sedimentary petrology 112(3-4) 297-304
sediments 110(1-2) 7-23
Japan Sea, Quaternary 109(1-2) 121-133
New Zealand, Pliocene 110(3-4) 237-255
Russian Federation, Quaternary 107(3-4) 189-209
sedimentary petrology 113(3-4) 211-223
Spain, sedimentation 107(1-2) 61-81; 113(1-2) 27-53
secondary structures *see* concretions
sediment transport *see also* marine transport; turbidity currents
China 112(1-2) 105-122
India, Quaternary 107(3-4) 263-279
Maine, Quaternary 107(1-2) 99-120
stratigraphy 109(3-4) 362-364

sedimentary petrology *see* clay mineralogy; diagenesis; heavy minerals; sedimentary structures; sedimentation; sediments; weathering
sedimentary rocks *see also* coal; diagenesis; lithostratigraphy
107(3-4) 304-306; 109(1-2) 207-208
beachrock, Belize 110(3-4) 277-297
boundstone, Norway 112(1-2) 89-103
breccia
Italy 112(3-4) 219-234
Virginia 108(1-4) 45-90
calcarenite, Spain 109(1-2) 95-109
calcrete
France 110(3-4) 299-307
Nova Scotia 112(1-2) 43-67
Spain 110(3-4) 299-307
carbonate rocks 112(1-2) 159-160
Bolivia 113(1-2) 113-126
France 112(1-2) 1-6
Israel 112(1-2) 7-32
Jordan 112(1-2) 69-88
Oman 113(3-4) 269-280
South Carolina 108(1-4) 163-180
Spain 107(1-2) 61-81
chalk, Netherlands 109(3-4) 261-281
chemically precipitated rocks, Spain 109(1-2) 1-11
chert, Japan 107(1-2) 45-59
clastic rocks 112(1-2) 158-159; 113(3-4) 281-282
Canada 113(1-2) 111-124
China 112(1-2) 123-136
New Zealand 110(3-4) 237-255
conglomerate
Japan 109(1-2) 53-71
Korea 110(1-2) 51-79
dolostone 113(3-4) 161-168
Italy 110(3-4) 181-221
Spain 109(1-2) 1-11
evaporites
Egypt 110(1-2) 123-145
Italy 110(3-4) 181-221
flysch, Italy 107(3-4) 231-262
grainstone, Spain 110(1-2) 99-122
Italy, stratigraphy 112(3-4) 263-279
limestone 109(3-4) 339-359; 112(3-4) 163-193; 113(3-4) 161-168
Bahamas 112(1-2) 33-42
Florida 108(1-4) 207-228
Italy 113(1-2) 81-110
Morocco 107(3-4) 147-165
Nova Scotia 112(1-2) 43-67
Pennsylvania 109(3-4) 305-319
Quebec 107(1-2) 121-139
South Carolina 108(1-4) 141-161
Spain 109(1-2) 1-11; 110(1-2) 99-122; 113(1-2) 27-53
Sweden 112(1-2) 33-42
megabreccia 112(3-4) 163-193
mudstone
China 112(3-4) 281-295
Spain 110(1-2) 99-122
New York, Quaternary 111(1-4) 199-215
packstone
South Africa 107(1-2) 83-97
South Carolina 108(1-4) 141-161
petroleum 110(1-2) 149-150
phosphate rocks, Russian Federation 113(1-2) 125-135
porcellanite, Japan 107(1-2) 45-59
quartz arenite, Spain 112(3-4) 251-261
red beds
Italy 110(3-4) 181-221
Utah 109(1-2) 181-198
sandstone
India 110(1-2) 25-49
Jordan 112(1-2) 69-88
Korea 109(3-4) 321-338
Morocco 107(1-2) 21-36; 112(1-2) 137-156
South Africa 107(1-2) 83-97
Utah 109(1-2) 181-198
saprolite, Georgia 108(1-4) 195-206
shale, Chile 110(3-4) 257-276
stratigraphy 112(1-2) 157-158
travertine 113(3-4) 225-243
wackestone, South Carolina 108(1-4) 141-161
sedimentary structures
algal mats, Germany 110(1-2) 1-6
bedding plane irregularities, Alberta 113(3-4) 195-209
biogenic structures
Japan 107(1-2) 45-59
Norway 112(1-2) 89-103
Bouma sequence, Japan 112(3-4) 297-304
clastic dikes
Ontario 111(1-4) 225-248
Sweden 111(1-4) 285-311
concretions 113(3-4) 225-243
Russian Federation 113(1-2) 125-135
cross-bedding, Japan 109(1-2) 53-71
cross-stratification
India 107(3-4) 263-279
Japan 109(1-2) 53-71
cyclothems
New Zealand 110(3-4) 237-255
Nova Scotia 112(1-2) 43-67
Pennsylvania 109(3-4) 305-319
flute casts, New York 111(1-4) 199-215
graded bedding, Germany 110(1-2) 1-6
grooves
Alaska 111(1-4) 177-197
Switzerland 111(1-4) 107-118
Wisconsin 111(1-4) 7-25
hummocky cross-stratification, Spain 109(1-2) 95-109
Italy 113(1-2) 81-110
laminations
California 110(3-4) 151-161
Italy 109(1-2) 73-94
New Mexico 110(3-4) 223-235
Texas 110(3-4) 223-235
oncolites 113(3-4) 225-243
rhythmic bedding, Netherlands 109(3-4) 261-281
ripple marks 112(3-4) 235-250
soft sediment deformation
Alaska 111(1-4) 177-197
Canary Islands 110(3-4) 163-179
New York 111(1-4) 161-175
striations
Finland 111(1-4) 147-159
Sweden 111(1-4) 285-311
stromatolites, Bolivia 113(1-2) 113-126
thrombolites, Bolivia 113(1-2) 113-126
turbidity current structures
Arctic region 109(1-2) 13-35
Spitsbergen 109(1-2) 13-35
sedimentation *see also* beaches; carbonate platforms; continental slope; diagenesis; foreland basins; marine transport; sediment transport; sedimentation rates; sediments
109(1-2) 199-205; 112(3-4) 163-193
biochemical sedimentation, California 110(3-4) 151-161
bioclastic sedimentation 109(1-2) 111-119
Japan 107(1-2) 45-59
continental margin sedimentation
Canary Islands 110(3-4) 163-179
Japan Sea 109(1-2) 121-133
South Carolina 108(1-4) 181-194
deltaic sedimentation
Arctic region 109(1-2) 13-35
Russian Federation 107(3-4) 189-209
Spitsbergen 109(1-2) 13-35
detrital sedimentation
Belgium 109(1-2) 135-153
England 109(1-2) 135-153
France 109(1-2) 135-153
Italy 109(1-2) 135-153
estuarine sedimentation, Maine 107(1-2) 99-120
fluvial sedimentation
India 107(3-4) 263-279
Maine 107(1-2) 99-120
petroleum 110(1-2) 149-150
stratigraphy 109(3-4) 362-364
fluviolacustrine sedimentation, Japan 107(3-4) 211-229
glacial sedimentation
Alaska 111(1-4) 177-197
Finland 111(1-4) 135-145; 111(1-4) 147-159
Ireland 111(1-4) 91-105
Latvia 111(1-4) 73-90
New York 111(1-4) 161-175
Ontario 111(1-4) 225-248

Sweden 111(1-4) 27-40; 111(1-4) 41-56; 111(1-4) 285-311
glaciofluvial sedimentation
Finland 111(1-4) 263-283
Minnesota 111(1-4) 249-261
Switzerland 111(1-4) 107-118
glaciomarine sedimentation
Arctic region 109(1-2) 13-35
Ireland 111(1-4) 57-72
Spitsbergen 109(1-2) 13-35
intertidal sedimentation 113(3-4) 211-223
Germany 110(1-2) 1-6
lacustrine sedimentation
Bolivia 113(1-2) 113-126
Poland 113(1-2) 55-80
Morocco 107(1-2) 21-36
New South Wales Australia 109(3-4) 209-232
stratigraphy 107(3-4) 167-187
Oman, stratigraphy 113(3-4) 269-280
South Carolina, stratigraphy 108(1-4) 121-140
Spain 107(1-2) 61-81; 112(3-4) 251-261; 113(1-2) 27-53
Triassic 113(3-4) 245-267
Victoria Australia 109(3-4) 209-232
sedimentation rates
109(3-4) 339-359
Belgium 109(1-2) 135-153
England 109(1-2) 135-153
France 109(1-2) 135-153
Germany 110(1-2) 1-6
Italy 109(1-2) 135-153
sediments *see also* diagenesis; lithostratigraphy; peat; volcaniclastics
Belgium 109(1-2) 135-153
boulders, Finland 111(1-4) 135-145
California 110(3-4) 151-161
carbonate sediments 109(1-2) 111-119
Bahamas 107(1-2) 1-10
Germany 109(1-2) 37-51
Netherlands 109(1-2) 37-51
South Carolina 108(1-4) 141-161
clastic sediments
China 112(1-2) 105-122
Ireland 111(1-4) 57-72
Japan 107(1-2) 45-59
Minnesota 111(1-4) 249-261
Ontario 111(1-4) 225-248
South Carolina 108(1-4) 163-180; 108(1-4) 181-194
Sweden 111(1-4) 27-40
Switzerland 111(1-4) 107-118
Virginia 108(1-4) 45-90
clay, Italy 113(1-2) 149-159
diamicton
Ireland 111(1-4) 91-105
New York 111(1-4) 161-175
England 109(1-2) 135-153
France 109(1-2) 135-153
Germany, Quaternary 111(1-4) 217-224
gravel, India 107(3-4) 263-279
Italy 109(1-2) 73-94; 109(1-2) 135-153
Japan 110(1-2) 7-23
Latvia, Quaternary 111(1-4) 73-90
marine sediments, Canary Islands 110(3-4) 163-179
mud, South Carolina 108(1-4) 141-161
Poland, Quaternary 111(1-4) 119-134
Quaternary 111(1-4) 1-5; 111(1-4) 1-327
sand
Arctic region 109(1-2) 13-35
Australia 109(3-4) 233-260
British Columbia 109(3-4) 283-303
Germany 110(1-2) 1-6
India 107(3-4) 263-279
Italy 110(1-2) 81-97; 113(1-2) 149-159
Maine 107(1-2) 99-120
Spitsbergen 109(1-2) 13-35
Texas 107(1-2) 37-44
silt, British Columbia 109(3-4) 283-303
till
Finland 111(1-4) 263-283
Sweden 111(1-4) 285-311
Wisconsin, Quaternary 111(1-4) 7-25
seismic profiles *see* vertical seismic profiles
seismic stratigraphy
British Columbia, Quaternary 109(3-4) 283-303
France, geophysical surveys 112(1-2) 1-6
Japan Sea, Quaternary 109(1-2) 121-133
seismic surveys *see also* vertical seismic profiles
Finland 111(1-4) 147-159
seismology *see* crust; earthquakes
seismostratigraphy *see* seismic stratigraphy
Senonian *see also* Campanian; Maestrichtian
Italy 113(1-2) 81-110
sensing, remote *see* remote sensing
sequence stratigraphy
109(3-4) 361-362
Bahamas, Quaternary 107(1-2) 1-10
Belgium, sediments 109(1-2) 135-153
Chile, sedimentary petrology 110(3-4) 257-276
China, Permian 112(1-2) 123-136
England, sediments 109(1-2) 135-153
France, sediments 109(1-2) 135-153
Israel 112(1-2) 7-32
Italy 112(3-4) 219-234
Cretaceous 113(3-4) 169-193
sedimentary petrology 110(3-4) 181-221
sedimentation 107(3-4) 231-262
sediments 109(1-2) 135-153
Japan
diagenesis 107(1-2) 45-59
sediments 107(3-4) 211-229
Jordan, sedimentary petrology 112(1-2) 69-88
Maine, Quaternary 107(1-2) 99-120
Mediterranean Sea, Quaternary 112(3-4) 195-217
Morocco, sedimentary petrology 107(3-4) 147-165
New South Wales Australia 107(3-4) 167-187
New Zealand, Pliocene 110(3-4) 237-255
North Carolina 108(1-4) 91-120
Russian Federation, Quaternary 107(3-4) 189-209
sedimentation 112(3-4) 163-193
Spain
sedimentation 113(1-2) 27-53
Triassic 113(3-4) 245-267
shale
Chile 110(3-4) 257-276
Shanxi Formation
Permian 112(1-2) 123-136
sheet silicates *see* clay minerals; mica group
shelf, continental *see* continental shelf
shore features *see* coastal dunes; deltas; salt marshes
shoreline features *see* shore features
shorelines *see* barrier islands
Sihtuuna Moraine
Quaternary 111(1-4) 135-145
silicates *see* framework silicates; orthosilicates; sheet silicates
siliciclastics
Germany
Quaternary 109(1-2) 37-51
sedimentary petrology 110(1-2) 1-6
Israel, stratigraphy 112(1-2) 7-32
Italy
heavy minerals 113(1-2) 149-159
sedimentation 107(3-4) 231-262
Morocco, diagenesis 112(1-2) 137-156
Netherlands, Quaternary 109(1-2) 37-51
Spain, sedimentation 107(1-2) 61-81
silt
British Columbia, Quaternary 109(3-4) 283-303
Silurian
Bahamas 112(1-2) 33-42
Sweden 112(1-2) 33-42
Skane
Quaternary 111(1-4) 285-311
slope, continental *see* continental slope
smectite
Morocco, diagenesis 112(1-2) 137-156
soft sediment deformation *see also* clastic dikes
Alaska, Quaternary 111(1-4) 177-197
Canary Islands, ocean floors 110(3-4) 163-179
New York, Quaternary 111(1-4) 161-175
soils *see* Paleosols; weathering
Sorbas Basin
sedimentation 107(1-2) 61-81

South Africa
diagenesis, Durban South Africa 107(1-2) 83-97
South America *see* Andes; Argentina; Bolivia; Chile
South Carolina
sedimentary petrology
Aiken County South Carolina 108(1-4) 163-180
Allendale County South Carolina 108(1-4) 163-180
Barnwell County South Carolina 108(1-4) 163-180
Savannah River Plant 108(1-4) 163-180
stratigraphy
Aiken County South Carolina 108(1-4) 121-140; 108(1-4) 141-161
Allendale County South Carolina 108(1-4) 121-140; 108(1-4) 141-161; 108(1-4) 181-194
Barnwell County South Carolina 108(1-4) 121-140; 108(1-4) 141-161
Beaufort County South Carolina 108(1-4) 181-194
Berkeley County South Carolina 108(1-4) 181-194
Charleston County South Carolina 108(1-4) 181-194
Colleton County South Carolina 108(1-4) 181-194
Dorchester County South Carolina 108(1-4) 181-194
Hampton County South Carolina 108(1-4) 181-194
Jasper County South Carolina 108(1-4) 181-194
Savannah River Plant 108(1-4) 121-140; 108(1-4) 141-161
South Korea *see also* Kyongsang Basin
heavy minerals 109(3-4) 321-338
Southern Africa *see* South Africa
Southern Alaska *see* Valdez Alaska
Southern Atlantic Coastal Plain
sedimentary petrology 108(1-4) 163-180
stratigraphy 108(1-4) 121-140; 108(1-4) 141-161; 108(1-4) 181-194; 108(1-4) 207-228
Southern Europe *see* Iberian Peninsula; Italy
Spain
geologic hazards, Jaen City Spain 109(1-2) 1-11
sedimentary petrology
Asturias Spain 110(1-2) 99-122
Betic Cordillera 109(1-2) 95-109
Cantabrian Mountains 110(1-2) 99-122
Old Castile Spain 110(3-4) 299-307
sedimentation
Almeria Spain 107(1-2) 61-81; 113(1-2) 27-53
Betic Cordillera 107(1-2) 61-81; 112(3-4) 251-261
Cadiz Spain 112(3-4) 251-261
Guadalquivir Basin 112(3-4) 251-261
stratigraphy
Betic Cordillera 113(1-2) 137-147
Caravaca Spain 113(1-2) 137-147
Tertiary 110(1-2) 147-148
Triassic 113(3-4) 245-267
Spanish Morocco *see* Morocco
Sparta Georgia
weathering 108(1-4) 195-206
Spitsbergen
Quaternary, Spitsbergen Island 109(1-2) 13-35
Spitsbergen Island
Quaternary 109(1-2) 13-35
Sr-87/Sr-86
New Jersey, Miocene 108(1-4) 3-18
Sr/Sr
Florida, stratigraphy 108(1-4) 207-228
stable isotopes *see* C-13/C-12; O-18/O-16; S-34/S-32; Sr-87/Sr-86
Steel Creek Member
stratigraphy 108(1-4) 121-140
stereochemistry *see* crystal chemistry
stone, building *see* building stone
stratigraphic boundary
Nova Scotia, sedimentary petrology 112(1-2) 43-67
stratigraphy *see* Archean; Cambrian; Carboniferous; Cenozoic; Cretaceous; Devonian; Eocene; Holocene; Jurassic; Miocene; Neogene; Oligocene; Ordovician; Paleogene; paleomagnetism; Permian; Pleistocene; Pliocene; Proterozoic; Quaternary; Silurian; Tertiary; Triassic
stream sediments
India, Quaternary 107(3-4) 263-279
streams *see* braided streams
striations
Finland, Quaternary 111(1-4) 147-159
Sweden, Quaternary 111(1-4) 285-311
stromatolites
Bolivia 113(1-2) 113-126
strontium
Sr-87/Sr-86, New Jersey 108(1-4) 3-18
structural basins *see* basins
structural geology *see* deformation; faults; neotectonics; tectonics
submarine features *see* bottom features
succession
Israel, stratigraphy 112(1-2) 7-32
Sulcis
stratigraphy 112(3-4) 263-279
sulfates *see* anhydrite
sulfides *see* iron sulfides; pyrite
sulfur
S-34/S-32
New Mexico 110(3-4) 223-235
Texas 110(3-4) 223-235
Superior Province
geochemistry 113(1-2) 111-124
Suri Formation
sedimentary petrology 109(1-2) 155-180
surveys *see* geophysical surveys
suspension current *see* turbidity currents
Suwannee County Florida
stratigraphy 108(1-4) 207-228
Suwannee Limestone 108(1-4) 207-228
Svalbard *see* Spitsbergen
Sweden
diagenesis, Gotland Sweden 112(1-2) 33-42
Quaternary 111(1-4) 27-40; 111(1-4) 41-56
Skane 111(1-4) 285-311
Switzerland
Quaternary, Valais Switzerland 111(1-4) 107-118
Sydney Basin *see also* Newcastle Coal Measures
sedimentary petrology 112(1-2) 43-67
Sydney coal field
stratigraphy 107(3-4) 167-187
Sydney Mines Formation
sedimentary petrology 112(1-2) 43-67
symmicton *see* diamicton
symposia
Atlantic Coastal Plain, sedimentary petrology 108(1-4) 1-228
Quaternary 111(1-4) 1-5; 111(1-4) 1-327
talus fan *see* alluvial fans
tectonics *see also* basins; continental margin; crust; neotectonics; uplifts
Italy, heavy minerals 113(1-2) 149-159
Oman, stratigraphy 113(3-4) 269-280
Spain, Triassic 113(3-4) 245-267
tectonophysics *see* crust; paleomagnetism; plate tectonics
tempestite
Spain, sedimentary petrology 109(1-2) 95-109
Tertiary *see also* Neogene; Paleogene
Belgium 109(1-2) 135-153
Bolivia 113(1-2) 113-126
England 109(1-2) 135-153
France 109(1-2) 135-153
Italy 109(1-2) 135-153
Spain 110(1-2) 147-148
Tethys
Spain, sedimentary petrology 109(1-2) 95-109
Texas
geochemistry
Loving County Texas 110(3-4) 223-235
Reeves County Texas 110(3-4) 223-235
geomorphology, Kenedy County Texas 107(1-2) 37-44

textbooks
sedimentary petrology 107(3-4) 303-304; 113(3-4) 281-282
sedimentary rocks 107(3-4) 304-306
thrombolites
Bolivia 113(1-2) 113-126
tidal flats
China, sedimentary petrology 112(1-2) 105-122
Germany
Quaternary 109(1-2) 37-51
sedimentary petrology 110(1-2) 1-6
Netherlands, Quaternary 109(1-2) 37-51
till *see also* drumlins; glacial features; moraines
Finland 111(1-4) 263-283
Sweden, Quaternary 111(1-4) 285-311
Tobacco Road Sand
sedimentary petrology 108(1-4) 163-180
Tokai Group
sediments 107(3-4) 211-229
Tortonian
Spain 113(1-2) 27-53
Toyama Japan
sediments 110(1-2) 7-23
Trans-Jordan *see* Jordan
transgression
Chile, sedimentary petrology 110(3-4) 257-276
China, Permian 112(1-2) 123-136
France, diagenesis 107(1-2) 11-20
Italy
sedimentary petrology 113(1-2) 81-110
stratigraphy 112(3-4) 219-234
Jordan, sedimentary petrology 112(1-2) 69-88
New South Wales Australia, stratigraphy 107(3-4) 167-187
North Carolina, stratigraphy 108(1-4) 91-120
Nova Scotia, sedimentary petrology 112(1-2) 43-67
Russian Federation, sedimentary petrology 113(1-2) 125-135
sedimentation 112(3-4) 163-193
South Carolina, stratigraphy 108(1-4) 121-140; 108(1-4) 141-161
Spain, sedimentary petrology 110(1-2) 99-122
transport
sedimentation 109(1-2) 199-205
travertine 113(3-4) 225-243
Trentino-Alto Adige Italy *see* Bolzano Italy; Valsugana
Triassic
Carnian, Morocco 107(1-2) 21-36
Korea 109(3-4) 321-338
Spain 113(3-4) 245-267
Trihueco Formation
sedimentary petrology 110(3-4) 257-276
turbidite *see also* Bouma sequence; turbidity currents
Italy
sedimentation 107(3-4) 231-262
stratigraphy 112(3-4) 219-234
turbidity current structures *see also* Bouma sequence; graded bedding
Arctic region, Quaternary 109(1-2) 13-35
Spitsbergen, Quaternary 109(1-2) 13-35
turbidity currents
Canary Islands, ocean floors 110(3-4) 163-179
Japan, sedimentary petrology 112(3-4) 297-304
sedimentary petrology 112(3-4) 235-250
typomorphism
Italy, stratigraphy 112(3-4) 263-279
Tyrconnell Formation
Quaternary 111(1-4) 225-248
Tyrrhenian
Italy 110(1-2) 81-97
U/Pb
Australia, Quaternary 109(3-4) 233-260
Umbria Italy
sediments 109(1-2) 73-94
unconformities *see* erosional unconformities
underground water *see* ground water
United Kingdom *see* Great Britain
United States *see also* Alaska; Atlantic Coastal Plain; California; Colorado Plateau; Delaware; Florida; Georgia; Maine; Maryland; Minnesota; New Jersey; New Mexico; New York; North Carolina; Ohio; Pennsylvania; South Carolina; Texas; Utah; Virginia; Wisconsin
Eocene, Chesapeake Bay 108(1-4) 45-90
geochemistry, Delaware Basin 110(3-4) 223-235
Miocene, Salisbury Embayment 108(1-4) 19-44
uplifts
Israel, stratigraphy 112(1-2) 7-32
North Carolina, stratigraphy 108(1-4) 91-120
Upper Cretaceous *see* Cenomanian; K-T boundary; Peedee Formation; Senonian
upper Eocene *see* Dry Branch Formation
upper Miocene *see* Messinian; Tortonian
upper Oligocene *see* Chattian; Suwannee Limestone
Upper Ordovician *see* Ashgillian; Caradocian
upper Pleistocene *see* Devensian; Saalian; Tyrrhenian; Vistulian; Weichselian; Wisconsinan
upper Precambrian *see* Proterozoic
Upper Triassic *see* Carnian
Upton Group
non-metal deposits 107(1-2) 121-139
uranium-lead *see* U/Pb
Urgonian
France 107(1-2) 11-20
Utah
sedimentary petrology, Kane County Utah 109(1-2) 181-198
Val Gardena Sandstone
sedimentary petrology 110(3-4) 181-221
Valais Switzerland
Quaternary 111(1-4) 107-118
Valdeteja Formation
sedimentary petrology 110(1-2) 99-122
Valdez Alaska
Quaternary 111(1-4) 177-197
Valsugana
sedimentary petrology 110(3-4) 181-221
Venetian Basin
sediments 109(1-2) 135-153
Venus
Baltic Sea, geomorphology 107(1-2) 142-143
North Sea, geomorphology 107(1-2) 142-143
Vercors
geophysical surveys 112(1-2) 1-6
vermiculite
Georgia, weathering 108(1-4) 195-206
vertical seismic profiles
Japan Sea, Quaternary 109(1-2) 121-133
Virginia, Eocene 108(1-4) 45-90
Vestspitsbergen *see* Spitsbergen Island
Victoria Australia *see* Lachlan fold belt
Vindhyan
India 112(3-4) 305
Virginia *see also* Salisbury Embayment
Eocene
Gloucester County Virginia 108(1-4) 45-90
Mathews County Virginia 108(1-4) 45-90
Northampton County Virginia 108(1-4) 45-90
York County Virginia 108(1-4) 45-90
Vistulian
Poland 111(1-4) 119-134
volcanic arcs *see* island arcs
volcanic rocks *see* basalts
volcanicity *see* volcanism
volcaniclastics
Argentina, sedimentary petrology 109(1-2) 155-180
Japan, sediments 107(3-4) 211-229
Morocco, diagenesis 112(1-2) 137-156
New South Wales Australia, sedimentation 109(3-4) 209-232

Victoria Australia, sedimentation 109(3-4) 209-232
volcanism *see also* pyroclastic flows
New South Wales Australia 109(3-4) 209-232
Victoria Australia, sedimentation 109(3-4) 209-232
Volga region
Quaternary 107(3-4) 189-209
Volga River
Quaternary 107(3-4) 189-209
volume susceptibility (magnetic) *see* magnetic susceptibility
Vuelta de Las Tolas Member
sedimentary petrology 109(1-2) 155-180
vulcanism *see* volcanism
wackestone
South Carolina, stratigraphy 108(1-4) 141-161
Wadden Zee
Quaternary 109(1-2) 37-51
Wanganui Valley
Pliocene 110(3-4) 237-255
Warley Hill Formation
stratigraphy 108(1-4) 141-161
water-rock interaction
New Mexico, geochemistry 110(3-4) 223-235
Texas, geochemistry 110(3-4) 223-235
waterways
Maine, Quaternary 107(1-2) 99-120
Wayne County New York
Quaternary 111(1-4) 161-175
weathering
China 112(3-4) 281-295
Georgia 108(1-4) 195-206
Weichselian
Arctic region 109(1-2) 13-35
Finland 111(1-4) 147-159; 111(1-4) 263-283
Germany 111(1-4) 217-224
Russian Federation 107(3-4) 189-209
Spitsbergen 109(1-2) 13-35
Sweden 111(1-4) 41-56; 111(1-4) 285-311
well-logging
electrical logging, South Carolina 108(1-4) 163-180
West Indies *see* Bahamas
West Pacific *see* Northwest Pacific
West Spitsbergen *see* Spitsbergen Island
Western Alps *see* Dauphine Alps
Western Canada *see* Alberta; British Columbia
Western Europe *see* Belgium; France; Ireland; Netherlands; Scandinavia; United Kingdom
Wisconsin
Quaternary 111(1-4) 7-25
Wisconsinan
British Columbia 109(3-4) 283-303
Minnesota 111(1-4) 249-261
Ontario 111(1-4) 225-248
xanthosiderite *see* goethite
Xiacaowan Formation
weathering 112(3-4) 281-295
Yangtze River
sedimentary petrology 112(1-2) 105-122
Yellow River, China *see* Huang He
York County Virginia
Eocene 108(1-4) 45-90
zeolite group
Morocco, diagenesis 112(1-2) 137-156
zircon
Australia, Quaternary 109(3-4) 233-260
Italy, stratigraphy 112(3-4) 263-279